

Workgroup

Socialization, Engagement, Health, and Nutrition

Outcome

S3. Older people are nourished and healthy in mind, body, and spirit.

Indicator & Source

Rate of hospital admissions per 10,000 population by age group 60-74 and 75 and older (Texas Hospital Inpatient Discharge Public Use Data File, Texas Department of State Health Services, Center for Health Statistics, Austin, Texas & U.S. Census Bureau, 2015 ACS 5-Year Estimates, Table B01001).

Indicator Notes


This indicator includes all residents age 60 and older. As per the Texas Department of State Health Services, the entire zip code is suppressed if there are fewer than thirty patients included in the zip code.

OVERALL TREND: Bexar County, 2010-2015


	2010	2011	2012	2013	2014	2015
Hospitalization Rate per 10,000 population ages 60+	2,372	2,262	2,220	2,060	2,036	2,089
<i>Adults 60-74</i>	1,766	1,668	1,655	1,538	1,549	1,608
<i>Adults 60-64</i>	1,364	1,256	1,253	1,162	1,212	1,307
<i>Adults 65-74</i>	2,093	2,024	1,978	1,834	1,795	1,820
<i>Adults 75 and older</i>	3,705	3,619	3,525	3,309	3,197	3,250

Source: 2010-2015 Texas Hospital Inpatient Discharge Public Use Data File, Texas Department of State Health Services, Center for Health Statistics, Austin, Texas & U.S. Census Bureau, 2015 ACS 5-Year Estimates, Table B01001.

GEOGRAPHIC DISTRIBUTION: Bexar County, 2015



Hospitalization Rate for Population 75+ by Zip Code, 2015



Source: 2015 Texas Hospital Inpatient Discharge Public Use Data File, Texas Department of State Health Services & U.S. Census Bureau, 2015 ACS 5-Year Estimates, Table B01001. Note: Margins of error associated with estimates not shown. *Zip codes not shown when the majority of the area is outside Bexar County or data are not available.

Top 10 Diagnoses for Age Group 60-64 Years by Diagnosis Type: Bexar County, 2014

Source: Texas Hospital Inpatient Discharge Public Use Data File, Texas Department of State Health Services, Center for Health Statistics, Austin, Texas & U.S. Census Bureau, 2014 ACS 5-Year Estimates, Table B01001.

60-64				
ICD-9	Principal Diagnosis	n	%	Rate per 10,000
38	Septicemia	564	5.2%	63.5
715	Osteoarthritis and allied disorders	505	4.7%	56.9
V57	Care involving use of rehabilitation procedures	480	4.5%	54.1
250	Diabetes mellitus	374	3.5%	42.1
410	Acute myocardial infarction	346	3.2%	39.0
428	Heart failure	297	2.8%	33.5
996	Complications peculiar to certain specified procedures	278	2.6%	31.3
486	Pneumonia, organism unspecified	239	2.2%	26.9
276	Disorders of fluid electrolyte and acid-base balance	237	2.2%	26.7
584	Acute kidney failure	231	2.1%	26.0
TOTAL PRINCIPAL DIAGNOSIS RECORDS		10,765	100.0%	

60-64				
ICD-9	Secondary Diagnosis	n	%	Rate per 10,000
585	Chronic kidney disease	810	7.6%	91.2
518	Other diseases of lung	592	5.5%	66.7
250	Diabetes mellitus	529	5.0%	59.6
401	Essential hypertension	474	4.4%	53.4
584	Acute kidney failure	441	4.1%	49.7
276	Disorders of fluid electrolyte and acid-base balance	370	3.5%	41.7
428	Heart failure	291	2.7%	32.8
285	Other and unspecified anemias	528	4.9%	59.5
599	Other disorders of urethra and urinary tract	254	2.4%	28.6
486	Pneumonia, organism unspecified	227	2.1%	25.6
TOTAL SECONDARY DIAGNOSIS RECORDS		10,683	100.0%	

60-64				
ICD-9	Tertiary Diagnosis	n	%	Rate per 10,000
401	Essential hypertension	804	7.6%	90.6
250	Diabetes mellitus	685	6.5%	77.2
276	Disorders of fluid electrolyte and acid-base balance	472	4.5%	53.2
584	Acute kidney failure	391	3.7%	44.0
403	Hypertensive chronic kidney disease	364	3.5%	41.0
518	Other diseases of lung	314	3.0%	35.4
272	Disorders of lipid metabolism	263	2.5%	29.6
428	Heart failure	241	2.3%	27.1
414	Other forms of chronic ischemic heart disease	192	1.8%	21.6
585	Chronic kidney disease	186	1.8%	20.9
TOTAL TERTIARY DIAGNOSIS RECORDS		10,522	100.0%	

Top 10 Diagnoses for Age Group 65-74 Years by Diagnosis Type: Bexar County, 2014

Source: Texas Hospital Inpatient Discharge Public Use Data File, Texas Department of State Health Services, Center for Health Statistics, Austin, Texas & U.S. Census Bureau, 2014 ACS 5-Year Estimates, Table B01001.

65-74				
ICD-9	Principal Diagnosis	n	%	Rate per 10,000
38	Septicemia	1268	5.8%	104.5
V57	Care involving use of rehabilitation procedures	1204	5.5%	99.2
715	Osteoarthritis and allied disorders	1195	5.5%	98.4
428	Heart failure	784	3.6%	64.6
410	Acute myocardial infarction	649	3.0%	53.5
427	Cardiac dysrhythmias	624	2.9%	51.4
996	Complications peculiar to certain specified procedures	620	2.8%	51.1
584	Acute kidney failure	532	2.4%	43.8
486	Pneumonia, organism unspecified	528	2.4%	43.5
250	Diabetes mellitus	516	2.4%	42.5
TOTAL PRINCIPAL DIAGNOSIS RECORDS		21,794	100.0%	

65-74				
ICD-9	Secondary Diagnosis	n	%	Rate per 10,000
518	Other diseases of lung	1357	6.3%	111.8
585	Chronic kidney disease	1339	6.2%	110.3
584	Acute kidney failure	1179	5.4%	97.1
250	Diabetes mellitus	921	4.3%	75.9
401	Essential hypertension	858	4.0%	70.7
428	Heart failure	823	3.8%	67.8
276	Disorders of fluid electrolyte and acid-base balance	739	3.4%	60.9
285	Other and unspecified anemias	672	3.1%	55.4
486	Pneumonia, organism unspecified	670	3.1%	55.2
599	Other disorders of urethra and urinary tract	640	3.0%	52.7
TOTAL SECONDARY DIAGNOSIS RECORDS		21,646	100.0%	

65-74				
ICD-9	Tertiary Diagnosis	n	%	Rate per 10,000
401	Essential hypertension	1665	7.8%	137.2
250	Diabetes mellitus	1352	6.3%	111.4
584	Acute kidney failure	1015	4.7%	83.6
276	Disorders of fluid electrolyte and acid-base balance	926	4.3%	76.3
518	Other diseases of lung	724	3.4%	59.6
403	Hypertensive chronic kidney disease	664	3.1%	54.7
428	Heart failure	617	2.9%	50.8
427	Cardiac dysrhythmias	584	2.7%	48.1
272	Disorders of lipid metabolism	526	2.5%	43.3
599	Other disorders of urethra and urinary tract	497	2.3%	40.9
TOTAL TERTIARY DIAGNOSIS RECORDS		21,415	100.0%	

Top 10 Diagnoses for Age Group 65-74 Years by Diagnosis Type: Bexar County, 2014

Source: Texas Hospital Inpatient Discharge Public Use Data File, Texas Department of State Health Services, Center for Health Statistics, Austin, Texas & U.S. Census Bureau, 2014 ACS 5-Year Estimates, Table B01001.

75+				
ICD-9	Principal Diagnosis	n	%	Rate per 10,000
V57	Care involving use of rehabilitation procedures	2013	7.1%	228.2
38	Septicemia	1969	7.0%	223.2
428	Heart failure	1483	5.3%	168.1
427	Cardiac dysrhythmias	1043	3.7%	118.2
486	Pneumonia, organism unspecified	900	3.2%	102.0
820	Fracture of neck of femur	896	3.2%	101.6
584	Acute kidney failure	895	3.2%	101.5
599	Other disorders of urethra and urinary tract	888	3.1%	100.7
434	Occlusion of cerebral arteries	735	2.6%	83.3
410	Acute myocardial infarction	720	2.6%	81.6
TOTAL PRINCIPAL DIAGNOSIS RECORDS		28,202	100.0%	

75+				
ICD-9	Secondary Diagnosis	n	%	Rate per 10,000
518	Other diseases of lung	1947	6.9%	220.7
584	Acute kidney failure	1743	6.2%	197.6
428	Heart failure	1619	5.8%	183.5
599	Other disorders of urethra and urinary tract	1364	4.9%	154.6
276	Disorders of fluid electrolyte and acid-base balance	1247	4.4%	141.4
486	Pneumonia, organism unspecified	1161	4.1%	131.6
585	Chronic kidney disease	1120	4.0%	127.0
401	Essential hypertension	898	3.2%	101.8
285	Other and unspecified anemias	817	2.9%	92.6
427	Cardiac dysrhythmias	797	2.8%	90.4
TOTAL SECONDARY DIAGNOSIS RECORDS		28,103	100.0%	

75+				
ICD-9	Tertiary Diagnosis	n	%	Rate per 10,000
401	Essential hypertension	1661	5.9%	188.3
276	Disorders of fluid electrolyte and acid-base balance	1626	5.8%	184.3
584	Acute kidney failure	1625	5.8%	184.2
250	Diabetes mellitus	1320	4.7%	149.6
427	Cardiac dysrhythmias	1264	4.5%	143.3
428	Heart failure	1198	4.3%	135.8
518	Other diseases of lung	1008	3.6%	114.3
599	Other disorders of urethra and urinary tract	968	3.5%	109.7
294	Persistent mental disorders due to conditions classified elsewhere	682	2.4%	77.3
585	Chronic kidney disease	597	2.1%	67.7
TOTAL TERTIARY DIAGNOSIS RECORDS		27,949	100.0%	